

Referentielijst behorende bij:

De ontevreden baby

Nieuwe inzichten over voeding, slapen en huilen

Pamela Douglas

ISBN 978 90 8560 227 9

Vertaling: Mariska Hammerstein, Amsterdam

© 2024 Uitgeverij SWP Amsterdam

Hoofdstuk 1. Hoeveel gehuil is normaal?

- Alvarez M, 'Caregiving and early infant crying in a Danish community', *Journal of Developmental & Behavioral Pediatrics*, 2004; 25: 91–8.
- Douglas PS, Hill PS, Brodribb W, 'The unsettled baby: how complexity science helps', *Archives of Disease in Childhood*, 2011; 96: 793–7.
- Milidou I, Henriksen TB, Jensen MS, Olsen J, Sondergaard C, 'Nicotine replacement therapy during pregnancy and infantile colic in the offspring', *Pediatrics*, 2012; 129.
- St James-Roberts I, Alvarez M, Hovish K, 'Emergence of a developmental explanation for prolonged crying in 1–4-month-old infants: review of the evidence', *Journal of Pediatric Gastroenterology and Nutrition*, 2013; 57 (Suppl 1): S30–S36.
- Wolke D, Samara M, Alvarez Wolke M, 'Meta-analysis of fuss/cry durations and colic prevalence across countries', Presentation at the 11th International Infant Cry Research Workshop, June 2011, Zeist, The Netherlands.

Hoofdstuk 2. Het zenuwstelsel van de huilbaby

- Douglas P, Hill PS, 'Behavioural sleep interventions in the first six months of life do not improve outcomes for mothers or infants: a systematic review', *Journal of Developmental & Behavioral Pediatrics*, 2013; 34: 497–507.
- Douglas PS, Hill PS, 'A neurobiological model for cry-fuss problems in the first three to four months of life', *Medical Hypotheses*, 2013; 81: 816–22.
- Judas M, Sedmak G, Kostovic I, 'The significance of the subplate for evolution and developmental plasticity of the human brain', *Frontiers in Human Neuroscience*. 2013; 7: doi: 10.3389/fnhum.2013.00423.
- Mansfield AK, Cordova JV, 'A behavioral perspective on adult attachment style, intimacy, and relationship health', in D Woods, J Kanter (eds), *Understanding behavior disorders*, Oakland, Context Press, 2007; pp. 389–416.
- Rhee SH, Pothoulakis C, Mayer EA, 'Principles and clinical implications of the brain-gut-enteric microbiota axis', *Nature Reviews Gastroenterology and Hepatology*, 2009; 6: 306–14.
- Shonkoff JP, Boyce WT, McEwen BS, 'Neuroscience, molecular biology, and the childhood roots of health disparities', *JAMA*, 2009; 301(21): 2252–9.

Swain JE, Konrath S, Dayton CJ, Finegood ED, 'Toward a neuroscience of interactive parent-infant dyad empathy', *Behavioral and Brain Sciences*, 2013; 36: 438–9.

Whittingham K, 'Parenting in context', *Journal of Contextual Behavioral Science*, 2014: <http://dx.doi.org/10.1016/j.jcbs.2014.1001.1001>.

Hoofdstuk 3. Knagende honger

de Lauzon-Guillain B, Wijndaele K, Clark M, Acerini CL, Hughes IA, Dunger DB, et al., 'Breastfeeding and infant temperament at age three months', *PLOS ONE*, 2012; 7: e29326.

de Onis M, Onyango A, Borghi E, Siyam A, Blossner M, Lutter C, 'Worldwide implementation of the WHO Child Growth Standards', *Public Health Nutrition*, 2012; 15: 1603–10.

Gross RS, Mendelsohn AL, Fierman AH, Hauser NR, Messito MJ, 'Maternal infant feeding behaviors and disparities in early child obesity', *Childhood Obesity*, 2014; 10: doi: 10.1089/chi.2013.0140.

Howard C, Lanphear N, Lanphear B, Eberly S, Lawrence R, 'Parental responses to infant crying and colic: the effect on breastfeeding duration', *Breastfeed Medicine*, 2006; 1(3): 146–55.

Huhtala V, Lehtonen L, Uvnas-Moberg K, Korvenranta H, 'Low plasma cholecystokinin levels in colicky infants', *Journal of Pediatric Gastroenterology and Nutrition*, 2003; 37: 42–5.

Odom E, Scanlon K, Perrine C, Grummer-Strawn L, 'Reasons for earlier than desired cessation of breastfeeding', *Pediatrics*, 2013; 131: e726–32.

Renfrew M, Pokhrel S, Quigley M, McCormick F, Fox-Rushby J, Dodds R, et al., *Preventing disease and saving resources: the potential contribution of increasing breastfeeding rates in the UK*, Unicef UK, London, 2012.

Sakalidis VS, Williams TM, Hepworth AR, Garbin CP, Hartmann PE, Paech MJ, et al., 'A comparison of early sucking dynamics during breastfeeding after cesarean section and vaginal birth', *Breastfeed Medicine*, 2013; 8: 79–85.

Thompson RE, Kildea SV, Marclay LM, Kruske S, 'An account of significant events influencing Australian breastfeeding practice over the last 40 years', *Women and Birth*, 2011; 24: 97–104.

Hoofdstuk 4. Buikklachten

Aviner S, Berkovitch M, H Dalkian, et al., 'Use of a homeopathic preparation for "infantile colic" and an apparent life-threatening event', *Pediatrics*, 2010; 125: 318–23.

Bergmann MM, Caubet J-C, McLin V, Belli D, Schappi M, Eigenmann P, 'Common colic, gastroesophageal reflux and constipation in infants under 6 months do not necessitate an allergy work-up', *Pediatric Allergy and Immunology*, 2014; doi: 10.1111/pai.12199.

Chung E, Yardley J, 'Are there risks associated with empiric acid suppression treatment of infants and children suspected of having gastroesophageal reflux disease?' *Hospital Pediatrics*, 2013; 3: 16–23.

de Weerth C, Fuentes S, Puylaert P, de Vos WM, 'Intestinal microbiota of infants with colic: development and specific signatures', *Pediatrics*, 2013; doi:10.1542/peds.2012–1449.

Douglas P, 'The rise and fall of infant reflux', *Griffith Review*, 2011; 32: 241–54.

- Douglas P, 'Diagnosing gastro-oesophageal reflux disease or lactose intolerance in babies who cry a lot in the first few months overlooks feeding problems', *Journal of Paediatrics and Child Health*, 2013; 49: e252–56.
- Douglas P, Hill P, 'Managing infants who cry excessively in the first few months of life', *BMJ*, 2011; 343: d7772.
- Douglas PS, 'Excessive crying and gastro-oesophageal reflux disease in infants: misalignment of biology and culture', *Medical Hypotheses*, 2005; 64: 887–98.
- Douglas PS, Hill PS, 'The crying baby: what approach?' *Current Opinion in Pediatrics*, 2011; 23: 523–9.
- Greenhalgh T, 'Is it time to drop the "knowledge translation" metaphor? A critical literature', *Journal of the Royal Society of Medicine*, 2011; 104: 501–9.
- Joneja JM, 'Infant food allergy: where are we now?' *Journal of Parenteral and Enteral Nutrition*, 2012; 36: 49S.
- Longo G, Berti I, Burks WA, Krauss B, Barbi E, 'IgE-mediated food allergy in children', *Lancet*, 2013; 382: 1656–64.
- Molnar K, Pinter P, Gyorffy H, Caseh A, Muller KE, Arato A, et al., 'Characteristics of allergic colitis in breast-fed infants in the absence of cow's milk allergy', *World Journal of Gastroenterology*, 2013; 19: 3824–30.
- Muraro A, Halken S, Arshad SH, Beyer K, Dubois AEJ, Du Toit G, et al., 'EEACI Food allergy and anaphylaxis guidelines. Primary prevention of food allergy', *Allergy*, 2014; 69: 590–601.
- Perry R, Hunt K, Ernst E, 'Nutritional supplements and other complementary medicines for infantile colic: a systematic review', *Pediatrics*, 2011; 127: 720.
- Quitadamo P, Papadopoulou A, Wenzl T, Urbonas V, Kneepkens C, Roman E, et al., 'European pediatricians' approach to children with GER symptoms: survey of the implementation of 2009 NASPGHAN-ESPGHAN guidelines', *Journal of Pediatric Gastroenterology and Nutrition*, 2014; 58: 505–9.
- Saulnier DM, Ringel Y, Heyman MB, 'The intestinal microbiome, probiotics and prebiotics in neurogastroenterology', *Gut Microbes*, 2013; 4: 17–27.
- Skjeie H, Skonnord T, Fetveit A, Brekke M, 'Acupuncture for infantile colic: a blinded, validated, randomized controlled multicentre trial in general practice', *Scandinavian Journal of Primary Health Care*, 2013; 31: 190–6.
- Smillie CM, Campbell SH, Iwinski S, 'Hyperlactation: how "left brained" rules for breastfeeding can wreak havoc with a natural process', *Newborn and Infant Nursing Reviews*, 2005; 5: 49–58.
- Sung V, Hiscock H, Tang ML, Mensah FK, Nation ML, Satzke C, et al., 'Treating infant colic with the probiotic *Lactobacillus reuteri*: double blind, placebo controlled randomised trial', *BMJ*, 2014; 348: doi: 10.1136/bmj.g2107.
- Trikha A, Baillargeon J, Kuo Y, Tan A, Pierson K, Sharma G, et al., 'Development of food allergies in patients with gastroesophageal reflux disease treated with gastric acid suppressive medications', *Pediatric Allergy and Immunology*, 2013; 24: 582–8.
- van der Pol R, Smits MJ, van Wijt MP, Omaria TI, Tabbers MM, Beninga MA, 'Efficacy of proton-pump inhibitors in children with gastroesophageal reflux disease: a systematic review', *Pediatrics*, 2011; 127: 925–35.

Hoofdstuk 5. Uit liefde voor moedermelk

Bartlett A, *Breastwork: re-thinking breastfeeding*, UNSW Press, Sydney, 2005.

- Brown A, Jordan S, 'Impact of birth complications on breastfeeding duration: an internet survey', *Journal of Advanced Nursing*, 2013; 69: 828–39.
- Colson SD, Meek JH, Hawdon JM, 'Optimal positions for the release of primitive neonatal reflexes stimulating breastfeeding', *Early Human Development*, 2008; 84: 441–9.
- Douglas PS, 'Re-thinking "posterior" tongue-tie', *Breastfeed Medicine*, 2013; 8(6): 1–4.
- Gaffney K, Kitsantas P, Brito A, Kastello J, 'Baby steps in the prevention of childhood obesity: IOM guidelines for pediatric practice', *Journal of Pediatric Nursing*, 2014; 29: 108–113.
- Hill PD, Aldag JC, Chatterton RT, Zinaman M, 'Primary and secondary mediators' influence on milk output in lactating mothers of preterm and term infants,' *Journal of Human Lactation*, 2005; 21(2): 138–150.
- Kent JC, Mitoulas LR, Cregan MD, Ramsay DT, Doherty DA, Hartmann PE, 'Volume and frequency of breastfeedings and fat content of breast milk throughout the day', *Pediatrics*, 2006; 117(3): e387–95.
- Moore E, Anderson GC, Bergman N, Dowswell T, 'Early skin-to-skin contact for mothers and their healthy newborn infants', *Cochrane Database of Systematic Reviews*, 2012; 16(5): doi: 10.1002/14651858.CD14003519.pub14651853.
- Williams K, Donaghue N, Kurz T, "'Giving guilt the flick"?: an investigation of mothers' talk about guilt in relation to infant feeding', *Psychology of Women Quarterly*, 2012; 37: 97–112.
- Wolf JB, 'Is breast really best? Risk and total motherhood in the National Breastfeeding Awareness Campaign', *Journal of Health Politics, Policy and Law*, 2007; 32: 597–636.

Hoofdstuk 6. De zintuigen stimuleren

- Bennett C, Underdown A, Barlow J, 'Massage for promoting mental and physical health in typically developing infants under the age of six months', *Cochrane Database of Systematic Reviews*, 2013; 4: doi: 005010.001002/14651858.CD14005038.pub14651853.
- Clarke N, 'Swaddling and hip dysplasia: an orthopaedic perspective', *Archives of Disease in Childhood*, 2014; 99: 5–6.
- Esposito G, Yoshida S, Ohnishi R, Tsuneoka Y, Rostagno Mdel C, Yokota S, et al., 'Infant calming responses during maternal carrying in humans and mice', *Current Biology*. 2013; 23: 739–45.
- Jaafar SH, Jahanfar S, Angolkar M, Ho JJ, 'Pacifier use versus no pacifier use in breastfeeding term infants for increasing duration of breastfeeding', *Cochrane Database of Systematic Reviews*, 2011; 3: doi: 007210.001002/14651858.CD14007202.pub14651852.
- Landgren K, Kvorning N, Hallstrom I, 'Feeding, stooling and sleeping patterns in infants with colic – a randomizedcontrolled trial of minimal acupuncture', *BMC Complementary and Alternative Medicine*, 2011; 11: 93.
- Lickliter R, 'The integrated development of sensory organization', *Clinics in Perinatology*, 2011; 38: 591–603.
- Matricciani LA, Olds TS, Blunden SL, Rigney G, Williams MT, 'Never enough sleep: a brief history of sleep recommendations for children', *Pediatrics*, 2012; 129: 548.
- Posadzki P, Ernst E, 'Is spinal manipulation effective for paediatric conditions? An overview of systematic reviews', *Focus on Alternative and Complementary Therapies*, 2012; 17: 22–6.

- St James-Roberts I, Alvarez M, Csipke E, Abramsky T, Goodwin J, Sorgenfrei E, 'Infant crying and sleeping in London, Copenhagen and when parents adopt a "proximal" form of care', *Pediatrics*, 2006; 117: e1146–e55.
- Stein B, Perrault T, Stanford T, Rowland B, 'Postnatal experiences influence how the brain integrates information from different senses', *Frontiers in integrative neuroscience*, 2009; 3: doi: 10.3389/neuro.3307.3021.2009.
- Van Wijk RM, van Vlimmeren LA, Groothuis-Oudshoorn CGM, van der Ploeg CPB, Ijzerman MJ, Boere-Boonekamp MM, 'Helmet therapy in infants with positional skull deformation: randomised controlled trial', *BMJ*, 2014; 348: doi: 10.1136/bmj.g2741.

Hoofdstuk 7. Nachtrust die goed (genoeg) is

- Bergman AB, 'Bed sharing per se is not dangerous', *JAMA Pediatrics*, 2013; 167: 998–9.
- Bryanton J, Beck C, Montelpare W, 'Postnatal parental education for optimizing infant general health and parent-infant relationships', *Cochrane Database of Systematic Reviews*, 2013; 11: doi: 004010.001002/14651858.CD14004068.pub14651854.
- Doan T, Gay C, Kennedy H, Newman J, Lee K, 'Nighttime breastfeeding behavior is associated with more nocturnal sleep among first-time mothers at one month postpartum', *Journal of Clinical Sleep Medicine*, 2014; 10: 313–9.
- Douglas P, Hill PS, 'Behavioural sleep interventions in the first six months of life do not improve outcomes for mothers or infants: a systematic review', *Journal of Developmental & Behavioral Pediatrics*, 2013; 34: 497–507.
- Galbally M, Lewis AJ, McEgan K, Scalzo K, Islam AFM, 'Breastfeeding and infant sleep patterns: an Australian population study', *Journal of Paediatrics and Child Health*, 2013; 49: e147–52.
- Galland BC, Taylor BJ, Elder DE, Herbison P, 'Normal sleep patterns in infants and children: a systematic review of observational studies', *Sleep Medicine Reviews*, 2012; 16: 213–22.
- Henderson JMT, France KG, Blampied NM, 'The consolidation of infants' nocturnal sleep across the first year of life', *Sleep Medicine Reviews*, 2010; 15: 211–20.
- Kendall-Tackett K, Cong Z, Hale TW, 'The effect of feeding method on sleep duration, maternal well-being, and postpartum depression', *Clinical Lactation*, 2011; 2.2: 22–6.
- Kripke DF, Garfinkel L, Wingard DL, Klauber MR, Marler MR, 'Mortality associated with sleep duration and insomnia', *Archives of General Psychiatry*, 2002; 59: 131–6.
- McKenna JJ, Ball HL, Gettler LT, 'Mother-infant cosleeping, breastfeeding and Sudden Infant Death Syndrome: what biological anthropology has discovered about normal infant sleep and pediatric sleep medicine', *Yearbook of Physical Anthropology*, 2007; 50: 133–61.
- Price AM, Wake M, Ukoumunne OC, Hiscock H, 'Outcomes at six years of age for children with infant sleep problems: longitudinal community-based study', *Sleep Medicine*, 2012; 13: 991–8.
- Sirvinskiene G, Zemaitene N, Zaborskis A, Markuniene E, Jusiene R, 'Infant difficult behaviors in the context of perinatal biomedical conditions and early child environment', *BMC Pediatrics*, 2012; 12: 44.
- Stremmler R, Hodnett E, Kenton L, Lee K, Weiss S, Weston J, et al., 'Effect of behavioural-educational intervention on sleep for primiparous women and their infants in early postpartum: multisite randomised controlled trial', *BMJ*, 2013; 346: f1164. doi: 10.1136/bmj.f1164.

- Whittingham K, Douglas PS, 'Optimising parent-infant sleep from birth to 6 months: a new paradigm', *Infant Mental Health Journal*, 2014: in press.
- Young J, 'Re: Letters to the editor re: Fetherston C, Leach JS 2012, Analysis of the ethical issues in the breastfeeding and bedsharing debate', *Breastfeeding Review*, 2013; 20: 7–15.

Hoofdstuk 8. Van je baby genieten

- Dorheim SK, Bondevik GT, Eberhard-Gran M, Bjorvatn B, 'Sleep and Depression in Postpartum Women: A Population-Based Study', *Sleep*, 2009; 32: 847–55.
- Harris R, *ACT with love: stop struggling, reconcile differences, and strengthen your relationship with acceptance and commitment therapy*, New Harbinger Publications, Oakland, 2009.
- Hayes SC, Villatte M, Levin M, Hildebrandt M, 'Open, aware and active: contextual approaches as an emerging trend in the behavioral and cognitive therapies', *Annual Review of Psychology*, 2011; 7: 141–68.
- Kim P, Mayes L, Feldman R, Leckman J, Swain JE, 'Early postpartum parental preoccupation and positive parenting thoughts: relationship with parent-infant interaction', *Infant Mental Health Journal*, 2012; 34: 104–16.
- Levitzky S, Cooper R, 'Infant colic syndrome – maternal fantasies of aggression and infanticide', *Clinical pediatrics (Phil)*, 2000; 39: 396–400.
- Miller LJ, LaRusso EM, 'Preventing postpartum depression', *Psychiatric Clinics of North America*, 2011; 34: 53–65.
- Whittingham K, *Becoming Mum*, Pivotal Publishing, Brisbane, 2013.
- Wu G, Feder A, Cohen H, Kim JJ, Calderon S, Charney DS, et al., 'Understanding resilience', *Frontiers in Behavioural Neuroscience*, 2013; 7: doi: 10.3389/fnbeh.2013.00010.

Bijlage 1. Een intieme geschiedenis van de ouder-kindzorg in de Engelssprekende wereld

- Cadogan W, *An essay upon nursing, and the management of children, from their birth to three years of age. By a Physician*, 2nd ed, J Roberts, London, 1748, p. 25.
- Davies RA, *'She did what she could': childbirth and midwifery practice in Queensland 1859-1912*, PhD thesis, Queensland University of Technology, Coopers Plains, 2003.
- Douglas P, 'Milkmother memoir', in J Dymond, N Willey (eds), *Motherhood memoirs: mothers creating/writing lives*. Demeter Press, Bradford, ON: 2013, pp. 105–130.
- Douglas P, 'Yummy Mummy and the Medicalised Milkmother', *Hecate*, 2010; 36: 119–135.
- Thorley V, 'Initiating breastfeeding in postwar Queensland', *Breastfeeding Review*, 2001; 9: 21–6.
- Thorley V, 'Midwives, trainees and mothers: maternity hospital conditions in postwar Queensland', *Birth Issues*, 2001; 10: 101–6.
- Thorley V, 'Printed advice on initiating and maintaining breastfeeding in the mid-20th-century Queensland', *Journal of Human Lactation*, 2003; 19: 77–89.
- Truby King M, *Mothercraft*, Whitcombe and Tombs Ltd, Sydney, 1936, pp. 5, 66.

Bijlage 2. Uitdagingen in de neurologische ontwikkeling en huilbaby's

- Barnevik Olsson M, Carlsson L, Westerlund J, Gillberg C, Fernell E, 'Autism before diagnosis: crying, feeding and sleeping problems in the first two years of life', *Acta Paediatrica*, 2013; 102: 635–9.
- Bolton P, Golding J, Emond A, Steer C, 'Autism spectrum disorder and autistic traits in the Avon Longitudinal Study of Parents and Children: precursors and early signs', *Journal of the American Academy of Child and Adolescent Psychiatry*, 2012; 51: 249–60.
- Desantis A, Coster W, Bigsby R, Lester B, 'Colic and fussing in infancy, and sensory processing at 3 to 8 years of age', *Infant Mental Health Journal*, 2004; 25(6): 522–39.
- Fogen A, King BJ, Shanker SG, *Human development in the twenty-first century: visionary ideas from systems scientists*, Cambridge University Press, New York, 2008.
- Greenspan S, *Great kids: helping your baby and child develop the ten essential qualities for a healthy, happy life*, Da Capo Press, Boston, 2007.
- Karacetin G, Demir T, Erkan T, Cokugras FC, Sonmez BA, 'Maternal psychopathology and psychomotor development of children with GERD', *Journal of Pediatric Gastroenterology and Nutrition*, 2011; 53: 380–5.
- Kumsta R, 'Epigenetic regulation of the oxytocin receptor gene: implications for behavioral neuroscience', *Frontiers in Neuroscience*, 2013; 7: doi: 10.3389/fnins.2013.00083.
- May-Benson TA, Koomar JA, Teasdale A, 'Incidence of pre-, peri-, and post-natal birth and developmental problems of children with sensory processing disorder and children with autism spectrum disorder', *Frontiers in Integrative Neuroscience*, 2009; 3(31): doi: 10.3389/neuro.07.031.2009.
- Meldrum SJ, Dunstan JA, Mori TA, Hird K, Simmer K, Prescott SL, 'Allergic disease in the first year of life is associated with differences in subsequent neurodevelopment and behaviour', *Early Human Development*, 2012; 88: 567–73.
- Rask CU, Ornbol E, Olsen EM, Fink P, Skovgaard AM, 'Infant behaviours are predictive of functional somatic symptoms at ages 5-7 years: results from the Copenhagen Child Cohort CCC2000', *Journal of Pediatrics*, 2013; 162: 335–42.
- Savino F, Castagno E, Bretto R, Brondello C, Palumeri E, Oggero R, 'A prospective 10-year study on children who had severe infantile colic', *Acta Paediatrica*, 2005; 94(s449): 129–32.
- Schmid G, Schreier A, Meyer R, Wolke D, 'A prospective study on the persistence of infant crying, sleeping and feeding problems and preschool behaviour', *Acta Paediatrica*, 2010; 99(2): 286–90.
- Winsper C, Wolke D, 'Infant and toddler crying, sleeping and feeding problems and trajectories of dysregulated behavior across childhood', *Journal of Abnormal Child Psychology*, 2013; doi 10.1007/s10802-10013-19813-10801.
- Wolke D, Rizzo P, Woods S, 'Persistent infant crying and hyperactivity problems in middle childhood', *Pediatrics*, 2002; 109(6): 1054–59.
- Wolke D, Schmid G, Schreier A, Meyer R, 'Crying and feeding problems in infancy and cognitive outcome in preschool children born at risk: a prospective population study', *Journal of Developmental & Behavioral Pediatrics*, 2009; 30: 226–38.